



# CERTIFIKAT

No. 012 – SDG – 5 – SC0500-10

## Thermal insulation – Product Group Isover G-32-A1

### Certificate holder/Issued for

**Saint-Gobain Isover AB**  
SE-267 82 Billesholm, Sverige

### Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

### Product name and description

Thermal insulation made of glass wool with none or facing of glass tissue.  
Thermal conductivity, declared value  $\lambda_D$ : 0,032 W/(mK). Fire classification: Euro class A1

Product name: Isover Hi-Cav 32 and FrameBatt 32  
Designation code: MW – EN13162 – T4 – MU1

Above mentioned products can also be manufactured with a variety of dimensions under the name: Isover Specialisolerings G-32-A1.

### Certificate

Products mentioned above are found to comply with requirements in EN 13162:2008 with corrigendum AC and the SDG-5 Key-mark Rules. The manufacturer is found to comply with requirements in EN 13172:2008

### Marking

Products conforming to this certificate shall be marked in accordance with the requirements in the Key-mark.


### Validity

This certificate, issue number 2, is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on [www.key-mark.org](http://www.key-mark.org).

Borås 27<sup>th</sup> June 2011

**SP Technical Research Institute of Sweden**  
Certification

  
Lennart Månsson  
Certification Manager

  
Lennart Aronsson  
Technical Officer

#### SP Technical Research Institute of Sweden

Postal address	Phone / Fax	Reg.number	E-mail / Internet
SP	+46 10 516 50 00	556464-6874	info@sp.se
Box 857	+46 33 13 55 02		www.sp.se
SE-501 15 Borås			
SWEDEN			

Empowered Certification Body No. 012: SP Certification, Sweden  
For more information of Keymark visit: [www.key-mark.org](http://www.key-mark.org)  
This certificate may not be reproduced other than in full, except with the prior written approval by SP.