


CERTIFIKAT

No. 012 – SDG – 5 – 34 01 35



Thermal insulation – Product Group Isover G-35-A1

Certificate holder/Issued for

Saint-Gobain Isover AB

Box 501, S-260 50 Billesholm, Sverige

Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

Product name and description

Thermal insulation made of mineral (glass) wool with or without facing of staple tissue

Thermal conductivity, declared value λ_D : 0,035 W/(mK).

Fire classification: Euroclass A1

Product name: Regellängd 35, Bjälklagslängd 35 and Rulle 35

Designation code: MW – EN13162 – T1 – MU1

Product name: Regelskiva 35, Bjälklagsskiva 35, Skiva 35 and Våningskiva 35

Designation code: MW – EN13162 – T2 – MU1

Above mentioned products can also be manufactured with a variety in dimensions under the name: Isover Specialisolering G-35-A1.

Certificate

Products mentioned above are found to comply with requirements in EN 13162:2001 and the SDG-5 Keymark Rules. The manufacturer is found to comply with requirements in EN 13172:2001

Marking


Products conforming to this certificate shall be marked in accordance with the requirements in the Keymark.

Validity


This certificate is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on www.key-mark.org.

Borås 4 April 2006

SP Swedish National Testing and Research Institute
Certification



Lennart Månsson
Certification Manager



Ingvar Sahlin
Technical Officer

SP Swedish National Testing and Research Institute

Postal address Phone / Fax Reg. number E-mail / Internet
SP +46 33-16 50 00 556464-6874 info@sp.se
Box 857 +46 33-13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

This certificate may not be reproduced other than in full, except with the prior written approval by SP.