



CERTIFIKAT

No. 012 – SDG – 5 – 34 01 32

Thermal insulation – Product Group Isover G-36-A1

Certificate holder/Issued for

Saint-Gobain Isover AB

Box 501, S-260 50 Billesholm, Sverige

Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

Product name and description

Thermal insulation made of glass wool with none or facing of glass tissue
Thermal conductivity, declared value λ_D : 0,036 W/(mK). Fire classification: Euro class A1

Product name: Cavity wall system 36, 50-150 mm

Designation code: MW – EN13162 – T4 – MU1

Product name: UNIskiva 36, 45-220 mm, Träreghelskiva 36 c450, 45-195 mm, Stålhelskiva 36 c600, 45-145 mm, Bjälklag/Stålhelskiva 36 c1200, 95-195 mm, Regelskiva 36, 45-240 mm, Våningsskiva 36, 45-240 mm, Bjälklagsskiva 36, 95-230 mm, Buildbase superwall 36, 50-150 mm, Batt/Skiva 36, 30-220 mm and Stålhelskiva 36 c450, 45-195 mm

Designation code: MW – EN13162 – T2 – MU1

Product name: Träreghelrulle 36 c600, 45-70 mm, Bjälklagslängd 36, 45-195 mm, Regellängd 36, 30-220 mm and Rulle 36, 30-220 mm

Designation code: MW – EN13162 – T1 – MU1

Above mentioned products can also be manufactured with a variety of dimensions under the name: Isover Specialisolering G-36-A1.

Certificate

Products mentioned above are found to comply with requirements in EN 13162:2008 with corrigendum AC and the SDG-5 Key-mark Rules. The manufacturer is found to comply with requirements in EN 13172:200:8

Marking

Products conforming to this certificate shall be marked in accordance with the requirements in the Key-mark.

Validity

This certificate is a revised version (issue number 4) of a previous document with the same number dated 5th February 2009 and is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on www.key-mark.org.

Borås 16th September 2010

SP Technical Research Institute of Sweden
Certification


Lennart Månsson
Certification Manager


Lennart Aronsson
Technical Officer

SP Technical Research Institute of Sweden

Postal address Phone / Fax Reg.number E-mail / Internet
SP +46 10 516 50 00 556464-6874 info@sp.se
Box 857 +46 33 13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

Empowered Certification Body No. 012: SP Certification, Sweden
For more information of Keymark visit: www.key-mark.org
This certificate may not be reproduced other than in full, except with the prior written approval by SP.