

CERTIFIKAT

No. 012 – SDG – 5 – 34 01 23



Thermal insulation – Product Group Isover G-37-A1

Certificate holder/Issued for

Saint-Gobain Isover AB

Box 501, S-260 50 Billesholm, Sverige

Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

Product name and description

Thermal insulation made of mineral (glass) wool with or without facing of staple tissue

Thermal conductivity, declared value λ_D : 0,037 W/(mK).

Fire classification: Euroclass A1

Product name: Rulle 37, 45-220 mm, Specialrulle 37, 45-220 mm and Träregelrulle 37 c600, 45-70 mm

Designation code: MW – EN13162 – T1 – MU1

Product name: UNI-skiva 37, 45-220 mm, Bjälklagsskiva 37, 95-230 mm, Stålr regelskiva 37 c600, 45-145 mm, Stålr regelskiva 37 c450, 45-145 mm, Träregelskiva 37 c450, 45-195 mm, Bjälklag/Stålr regelskiva 37 c1200, 95-195 mm, Formstycke 37, 45-220 mm, Skiva 37, 45-220 mm, Regelskiva 37, 45-240 mm, Våningsskiva 37, 45-220 mm, Flex 37, 45-220 mm and Regellängd 37, 45-220 mm

Designation code: MW – EN13162 – T2 – MU1

Above mentioned products can also be manufactured with a variety of dimensions under the name: Isover Specialisolering G-37-A1.

Certificate

Products mentioned above are found to comply with requirements in EN 13162:2001 with corrigendum AC and the SDG-5 Key-mark Rules. The manufacturer is found to comply with requirements in EN 13172:2001

Marking

Products conforming to this certificate shall be marked in accordance with the requirements in the Key-mark.

Validity


This certificate is a revised version of a previous document with the same number dated 16th October 2006 and is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on www.key-mark.org.

Borås 15th December 2006

SP Swedish National Testing and Research Institute

Certification


Lennart Månsson
Certification Manager


Ingvar Sahlin
Technical Officer

SP Swedish National Testing and Research Institute

Postal address Phone / Fax Reg. number E-mail / Internet
SP +46 33-16 50 00 556464-6874 info@sp.se
Box 857 +46 33-13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

This certificate may not be reproduced other than in full, except with the prior written approval by SP.