

CERTIFIKAT



No. 012 – SDG – 5 – 34 01 25

Thermal insulation – Product Group Isover G-37-F

Certificate holder/Issued for

Saint-Gobain Isover AB

Box 501, SE-260 50 Billesholm, Sverige

Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

Product name and description

Thermal insulation made of mineral (glass) wool with or without facing of paper or Non-Woven (polyester)

Thermal conductivity, declared value λ_D : 0,037 W/(mK).

Fire classification: Euroclass F

Product name: Byggmatta P 37, 45-95 mm and Rulle P 37, 45-220 mm

Designation code: MW – EN13162 – T1 – MU1

Product name: Bjälklag/Stålrégelskiva P 37, 95-195 mm and Skiva P 37, 45-230 mm

Designation code: MW – EN13162 – T2 – MU1

Product name: Takstolsskiva P 37, 145-230 mm

Designation code: MW – EN13162 – T3 – MU1

Above mentioned products can also be manufactured with a variety of dimensions under the name: Isover Specialisolering G-37-F.

Certificate

Products mentioned above are found to comply with requirements in EN 13162:2001 with corrigendum AC and the SDG-5 Key-mark Rules. The manufacturer is found to comply with requirements in EN 13172:2001.

Marking

Products conforming to this certificate shall be marked in accordance with the requirements in the Key-mark.


Validity

This certificate was first issued on 4th July 2003 and is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on www.key-mark.org.

Borås 10th January 2007

**SP Swedish National Testing and Research Institute
Certification**


Lennart Månsson
Certification Manager


Lennart Aronsson
Certification Officer

SP Swedish National Testing and Research Institute

Postal address Phone / Fax Reg. number E-mail / Internet
SP +46 33-16 50 00 556464-6874 info@sp.se
Box 857 +46 33-13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

This certificate may not be reproduced other than in full, except with the prior written approval by SP.