

CERTIFIKAT

No. 012 – SDG – 5 – 34 01 38



Thermal insulation – Product Group Isover G-39-F

Certificate holder/Issued for

Saint-Gobain Isover AB
Box 501, S-260 50 Billesholm, Sverige

Manufacturer/Factory

Saint-Gobain Isover AB, Billesholm

Product name and description

Thermal insulation made of mineral (glass) wool with facing of paper or Non-Woven
Thermal conductivity, declared value λ_D : 0,039 W/(mK).
Fire classification: Euroclass F

Product name: Byggmatta P 39, 45-95 mm and Rulle P 39, 45-195 mm

Designation code: MW – EN13162 – T1 – MUI

Product name: Skiva P 39, 45-220 mm

Designation code: MW – EN13162 – T2 – MUI

Above mentioned products can also be manufactured with a variety in dimensions under the name: Isover Specialisolering G-39-F.

Certificate

Products mentioned above are found to comply with requirements in EN 13162:2001 with corrigendum AC and the SDG-5 Key-mark Rules. The manufacturer is found to comply with requirements in EN 13172:2001

Marking

Products conforming to this certificate shall be marked in accordance with the requirements in the Key-mark.


Validity

This certificate is a revised version of a previous document with the same number dated 20th October 2006 and is valid as long as the conditions in the standard are fulfilled and the standard is not modified significantly. The validity of the certificate can be checked on www.key-mark.org.

Borås 15th December 2006

SP Swedish National Testing and Research Institute
Certification


Lennart Månsson
Certification Manager


Ingvar Sahlin
Technical Officer

SP Swedish National Testing and Research Institute

Postal address

SP

Box 857

SE-501 15 Borås

SWEDEN

Phone / Fax

+46 33-16 50 00

+46 33-13 55 02

Reg.number

556464-6874

E-mail / Internet

info@sp.se

www.sp.se

This certificate may not be reproduced other than in full, except with the prior written approval by SP.